

Work Order ID 83330

83330

Page 1

April-17-12 1:28:24 PM

Item ID: D350-567-113

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Replacement Window, Extra Large

Start Date: 17/04/2012 Start Qty: 4.00

4

Cust Item ID:

Required Date: 15/05/2012 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan: MLJ

Date: 12/04/17

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN-D350-567	Rev D								
100		0.00							
100	DOCUMENT CONTROL								
DC		0.00							
Document Control	Memo Photocopy bluefile & type labels per PPPD350-567-113		CHG003	JB					
110		0.00							
110	Packaging								
Packaging		0.00							
Packaging	Memo Pick Packing Kit ***ENSURE DT 8439 TEMPLATE IS INCLUDED***								
120		0.00							
120	QC4- 100% Inspect kits for completeness								
QC		0.00							
Quality Control	Memo								

(4) 12-05-23
Label only JH for MLJ 12-5-11
(4) 12/05/15 JB
(4) 12-05-23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 83330

83330

Page 2

April-17-12 1:28:24 PM

Item ID: D350-567-113

Accept

N9000040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Replacement Window, Extra Large

Start Date: 17/04/2012 Start Qty: 4.00

4

Cust Item ID:

Required Date: 15/05/2012 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00							
130	Packaging	0.00							
Packaging	Memo								
	Identify and pack for shipping as per PPPD350-567-113								
	Location: _____								
	PPP Rev: _____								
140	QC21- Final Inspection - Work Order Release	0.00							
140	QC	0.00							
Quality Control	Memo								

PPR 83328

(4)

12/05/23

12/5/23

ME

12-05-23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April-17-12 1:28:29 PM

Page 1

Work Order ID: 83330

83330

Parent Item: D350-567-113

D350-567-113

Parent Item Name: Replacement Window, Extra Large

Start Date: 17/04/2012

Required Date: 15/05/2012

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP Rev:A 04-08-24 New Issue JLM

IPP Rev:B 08-10-07 as per revD DD verified by:

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

212-12		Purchased	No			110	Each	113.0000	12	48	✓	26	
212-12									**			JB M121827	
Receptacles													

Location Loc Qty Loc Code

ST380	113	
119921	1	
120077	112	

2600-6		Purchased	No			110	Each	167.0000	12	48	✓	JB	
2600-6									**				
Camlock Stud													

Location Loc Qty Loc Code

ST380	72	
120077	72	
ST381	95	
121287	95	

2600-LW		Purchased	No			110	Each	135.0000	12	48	✓	JB 12/05/11	
2600-LW									**				
Camloc Retaining Washer													

Location Loc Qty Loc Code

ST381	100	
121287	100	
ST398	35	
120648	35	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April-17-12 1:28:29 PM

Page 2

Work Order ID: 83330

83330

Parent Item: D350-567-113

D350-567-113

Parent Item Name: Replacement Window, Extra Large

Start Date: 17/04/2012

Required Date: 15/05/2012

Start Qty: 4.00

Required Qty: 4.00

AN526C832R9

Purchased

No

110

Each

333.0000

21

84

**

AN526C832R9

Screw

Location

Loc Qty

Loc Code

ST346

324

120181

200

120833

124

ST347

9

118983

9

66 45 120181 5
78 120833 5

AN960JD8

NAS1149DN832

Purchased

No

110

Each

0.0000

42

168

**

AN960JD8

Washer

D2463

Manufactured

No

110

f

322.7829

7.166

30.17263

**

D2463

Seal

Location

Loc Qty

Loc Code

ST404

322.7829

72232

15.38

79478

307.4029

79478 5

Ex(D2463-0860 as per dwg) CUT TO 86.00"

D3290-041

Manufactured

No

110

Each

3.0000

0

4

**

D3290-041

Replacement Window Assembly

Location

Loc Qty

Loc Code

ST219

3

79360

3

81491 JB 12/05/11
5

April-17-12 1:28:29 PM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April-17-12 1:28:29 PM

Page 3

Work Order ID: 83330

83330

Parent Item: D350-567-113

D350-567-113

Parent Item Name: Replacement Window, Extra Large

Start Date: 17/04/2012

Required Date: 15/05/2012

Start Qty: 4.00

Required Qty: 4.00

FG-778150-550-ROL

Purchased

No

110

sf

3,142.651

18

72

**

***FG-778150-550-ROL ***

7781 9oz Glass 50"x125yd

Location

Loc Qty

Loc Code

CA

3142.651

104845

3

108932

18

111166

392

113905

563

117602

670.651

119099

1496

2sq yards

MS20426AD3-5

Purchased

No

110

Each

12,478.00

24

96

**

MS20426AD3-5

Rivet

Location

Loc Qty

Loc Code

ST316

12478

4179

664

4444

5654

4533

6160

MS21042L08

Purchased

No

110

Each

248.0000

21

84

**

MS21042L08

Nut

Location

Loc Qty

Loc Code

ST300

248

120833

200

121185

48

April-17-12 1:28:29 PM

Shop Packet Print

Page 3

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

5.0 PARTS LIST

Qty -015	Qty -017	Qty -025	Qty -027	Qty -111	Qty -117	Part Number	Description
X						D350-567-015	FLOOR WINDOW INSTALLATION (SMALL)
	X					D350-567-017	FLOOR WINDOW INSTALLATION (SMALL)
		X				D350-567-025	FLOOR WINDOW INSTALLATION (LARGE)
			X			D350-567-027	FLOOR WINDOW INSTALLATION (LARGE)
				X		D350-567-111	FLOOR WINDOW INSTALLATION (EXTRA LARGE)
					X	D350-567-117	FLOOR WINDOW INSTALLATION (EXTRA LARGE)
1	1					D350-567-013	REPLACEMENT WINDOW KIT (SMALL)
		1	1			D350-567-023	REPLACEMENT WINDOW KIT (LARGE)
				1	1	D350-567-113	REPLACEMENT WINDOW KIT (EXTRA LARGE)
	1		1	1		D350-567-115	INTERIOR FLOOR WINDOW KIT
1		1			1	D350-567-031	INTERIOR FLOOR WINDOW KIT (SLIDING DOOR COMPATABLE)

Qty -013	Qty -023	Qty -113	Qty -115	Qty -031	Part Number	Description
X					D350-567-013	REPLACEMENT WINDOW KIT (SMALL)
	X				D350-567-023	REPLACEMENT WINDOW KIT (LARGE)
		X			D350-567-113	REPLACEMENT WINDOW KIT (EXTRA LARGE)
			X		D350-567-115	INTERIOR FLOOR WINDOW KIT
				X	D350-567-031	INTERIOR FLOOR WINDOW KIT (SLIDING DOOR COMPATABLE)
1					D2125	REPLACEMENT WINDOW, SMALL
	1				D2942	REPLACEMENT WINDOW, LARGE
					D3290-041	REPLACEMENT WINDOW ASSEMBLY, EXTRA LARGE
1					D2126-0600	SEAL
	1				D2463-0750	NEOPRENE SEAL
		1			D2463-0860	NEOPRENE SEAL
	9	12			2600-6	1/4 TURN FASTENER
	9	12			2600-LW	WASHER
	9	12			212-12	RECEPTACLE
	22	21			AN526C832R9	SCREW (OR AN526C832-9, OR MS51957-126)
	44	42			AN960JD8	WASHER
	22	21			MS21042L08	NUT (OR MS21042-08)
	18	24			MS20426AD3-5	RIVET
2 SQ. YD.	2 SQ. YD.	2 SQ. YD.			N/A	9.7oz 7781 'S' GLASS UNIVERSAL WEAVE
				1	D2463-0450	NEOPRENE SEAL
				1	D3210-1	DOUBLER
				1	D3211-1	BRACKET
				1	D3212-1	FLOOR WINDOW
				1	D3213-041	DOOR ASSEMBLY
			1		D3293-1	DOUBLER
			1		D3294-1	BRACKET
			1		D3295-041	FLOOR WINDOW
			1		D3296-041	DOOR ASSEMBLY
			1		D2463-0530	NEOPRENE SEAL
			9	8	AN526C632R12	SCREW (OR AN526C632-12, OR MS51957-32)
			9	8	AN960JD6	WASHER
			9	8	MS21042L06	NUT (OR MS21042-06)
			2	40	MS20470AD4-5	RIVET
			115	90	MS20470AD4-6	RIVET
			15	20	MS20470AD4-7	RIVET